

mysql_connect() not found

PHP Version 5.3.1

System	Darwin tqwhites-MacBook-Pro-15.local 10.0.0 Darwin Kernel Version 10.0.0: Fri Jul 31 22:47:34 PDT 2009; root:xnu-1456.1.25~1/RELEASE_I386 i386
Build Date	Nov 23 2009 20:16:04
Configure Command	'./configure' '--prefix=/opt/local' '--mandir=/opt/local/share/man' '--infodir=/opt/local/share/info' '--with-config-file-path=/opt/local/etc/php5' '--with-config-file-scan-dir=/opt/local/var/db/php5' '--disable-all' '--enable-bcmath' '--enable-ctype' '--enable-dom' '--enable-fileinfo' '--enable-filter' '--enable-hash' '--enable-json' '--enable-libxml' '--enable-pdo' '--enable-phar' '--enable-session' '--enable-simplexml' '--enable-tokenizer' '--enable-xml' '--enable-xmlreader' '--enable-xmlwriter' '--with-bz2=/opt/local' '--with-mhash=/opt/local' '--with-pcre-regex=/opt/local' '--with-readline=/opt/local' '--with-libxml-dir=/opt/local' '--with-zlib=/opt/local' '--disable-cgi' '--with-ldap=/usr' '--with-apxs2=/opt/local/apache2/bin/apxs' '--with-pear=/opt/local/lib/php' '--enable-debug'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/opt/local/etc/php5
Loaded Configuration File	(none)
Scan this dir for additional .ini files	/opt/local/var/db/php5
Additional .ini files parsed	/opt/local/var/db/php5/apc.ini, /opt/local/var/db/php5/ftp.ini, /opt/local/var/db/php5/mbstring.ini, /opt/local/var/db/php5/mcrypt.ini, /opt/local/var/db/php5/mysql.ini, /opt/local/var/db/php5/sqlite.ini, /opt/local/var/db/php5/tidy.ini, /opt/local/var/db/php5/xdebug.ini
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS,debug
PHP Extension Build	API20090626,NTS,debug
Debug Build	yes
Thread Safety	disabled
Zend Memory Manager	enabled
Zend	disabled

Multibyte Support	
IPv6 Support	enabled
Registered PHP Streams	compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar
Registered Stream Socket Transports	tcp, udp, unix, udg
Registered Stream Filters	zlib.*, bzip2.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2009 Zend Technologies
 with Xdebug v2.0.5, Copyright (c) 2002-2008, by Derick Rethans



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.2.14 (Unix) mod_ssl/2.2.14 OpenSSL/0.9.8l DAV/2 PHP/5.3.1
Apache API Version	20051115
Server Administrator	you@example.com
Hostname:Port	qbook.local:0
User/Group	tqwhite(501)/20
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	Yes
Server Root	/opt/local/apache2
Loaded Modules	core prefork http_core mod_so mod_authn_file mod_authn_dbm mod_authn_anon mod_authn_dbd mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_dbm mod_authz_owner mod_authz_default mod_auth_basic mod_auth_digest mod_file_cache mod_cache mod_disk_cache mod_mem_cache mod_dbd mod_dumpio mod_ext_filter mod_include mod_filter mod_substitute mod_deflate mod_log_config mod_log_forensic mod_logio mod_env mod_mime_magic mod_cern_meta mod_expires mod_headers mod_ident mod_usertrack mod_unique_id mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_ajp mod_proxy_balancer mod_ssl mod_mime mod_dav mod_status mod_autoindex mod_asis mod_info mod_cgi mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_imagemap mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	SwtgLsCoAQYAAAH4WfEAAAAH
HTTP_HOST	127.0.0.1
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6; en-us) AppleWebKit/531.9 (KHTML, like Gecko) Version/4.0.3 Safari/531.9
HTTP_CACHE_CONTROL	max-age=0
HTTP_ACCEPT	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	en-us
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_CONNECTION	keep-alive
PATH	/usr/bin:/bin:/usr/sbin:/sbin
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache/2.2.14 (Unix) mod_ssl/2.2.14 OpenSSL/0.9.8l DAV/2 PHP/5.3.1
SERVER_NAME	127.0.0.1
SERVER_ADDR	127.0.0.1
SERVER_PORT	80
REMOTE_ADDR	127.0.0.1
DOCUMENT_ROOT	/Users/tqwhite/Sites
SERVER_ADMIN	you@example.com
SCRIPT_FILENAME	/Users/tqwhite/Sites/index.php
REMOTE_PORT	49192
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/index.php
SCRIPT_NAME	/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /index.php HTTP/1.1
Host	127.0.0.1
User-Agent	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6; en-us) AppleWebKit/531.9 (KHTML, like

	Gecko) Version/4.0.3 Safari/531.9
Cache-Control	max-age=0
Accept	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language	en-us
Accept-Encoding	gzip, deflate
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.3.1
Cache-Control	max-age=0
Expires	Tue, 24 Nov 2009 04:25:18 GMT
Keep-Alive	timeout=5, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

apc

APC Support	enabled
Version	3.1.3p1
MMAP Support	Enabled
MMAP File Mask	<i>no value</i>
Locking type	File Locks
Revision	\$Revision: 286798 \$
Build Date	Nov 23 2009 20:52:04

Directive	Local Value	Master Value
apc.cache_by_default	On	On
apc.canonicalize	On	On
apc.coredump_unmap	Off	Off
apc.enable_cli	Off	Off
apc.enabled	On	On
apc.file_md5	Off	Off
apc.file_update_protection	2	2
apc.filters	<i>no value</i>	<i>no value</i>
apc.gc_ttl	3600	3600
apc.include_once_override	Off	Off
apc.lazy_classes	Off	Off
apc.lazy_functions	Off	Off

apc.max_file_size	1M	1M
apc.mmap_file_mask	<i>no value</i>	<i>no value</i>
apc.num_files_hint	1000	1000
apc.preload_path	<i>no value</i>	<i>no value</i>
apc.report_autofilter	Off	Off
apc.rfc1867	Off	Off
apc.rfc1867_freq	0	0
apc.rfc1867_name	APC_UPLOAD_PROGRESS	APC_UPLOAD_PROGRESS
apc.rfc1867_prefix	upload_	upload_
apc.rfc1867_ttl	3600	3600
apc.shm_segments	1	1
apc.shm_size	30	30
apc.stat	On	On
apc.stat_ctime	Off	Off
apc.ttl	0	0
apc.use_request_time	On	On
apc.user_entries_hint	4096	4096
apc.user_ttl	0	0
apc.write_lock	On	On

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

Core

PHP Version	5.3.1
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On

allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	<i>no value</i>	<i>no value</i>
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/opt/local/lib/php/extensions/debug-non-zts-20090626	/opt/local/lib/php/extensions/debug-non-zts-20090626
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./opt/local/lib/php	./opt/local/lib/php
log_errors	Off	Off
log_errors_max_len	1024	1024

magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	-1	-1
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	0	0
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend debug	On	On
request_order	<i>no value</i>	<i>no value</i>
safe_mode	Off	Off
safe_mode_exec_dir	/usr/local/php/bin	/usr/local/php/bin
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS

xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
-----------------	---------

date

date/time support	enabled
"Olson" Timezone Database Version	2009.18
Timezone Database	internal

(!) Warning: phpinfo() [[function.phpinfo](#)]: It is not safe to rely on the system's timezone settings. You are **required** to use the date.timezone setting or the date_default_timezone_set() function. In case you used any of those methods and you are still getting this warning, you most likely misspelled the timezone identifier. We selected 'America/Chicago' for 'CST/-6.0/no DST' instead in /Users/tqwhite/Sites/index.php on line 9

Call Stack

#	Time	Memory	Function	Location
1	0.0018	330712	{main}()	../index.php:0
2	0.0020	330964	phpinfo ()	../index.php:9

Default timezone America/Chicago

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
----------------------	-------------------------

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 289434 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c 287897 2009-08-30 15:33:59Z iliaa \$

Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20411

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.5-dev - 081106 - \$Revision: 289630 \$
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No

Client statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0

packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0

implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_ammount	0
mem_ecalloc_count	0
mem_ecalloc_ammount	0
mem_erealloc_count	0
mem_erealloc_ammount	0
mem_efree_count	0
mem_malloc_count	0
mem_malloc_ammount	0
mem_calloc_count	0
mem_calloc_ammount	0
mem_realloc_count	0
mem_realloc_ammount	0
mem_free_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0

proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.9 2009-04-11

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	<i>no value</i>

Phar

Phar: PHP Archive support	enabled
---------------------------	---------

Phar EXT version	2.0.1
Phar API version	1.1.1
CVS revision	\$Revision: 286338 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	disabled (install ext/openssl)

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

Reflection

Reflection	enabled
Version	\$Revision: 287991 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>

session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 281953 \$
Schema support	enabled

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1

assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

tidy

Tidy support	enabled
libTidy Release	1 September 2005
Extension Version	2.0 (\$Id: tidy.c 272922 2009-01-06 23:45:16Z iliaa \$)

Directive	Local Value	Master Value
tidy.clean_output	0	0
tidy.default_config	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

xdebug

xdebug support	enabled
Version	2.0.5

Supported protocols	Revision
DBGp - Common DeBuGger Protocol	\$Revision: 1.125.2.6 \$
GDB - GNU Debugger protocol	\$Revision: 1.87 \$
PHP3 - PHP 3 Debugger protocol	\$Revision: 1.22 \$

Directive	Local Value	Master Value
xdebug.auto_trace	Off	Off
xdebug.collect_includes	On	On
xdebug.collect_params	0	0
xdebug.collect_return	Off	Off
xdebug.collect_vars	Off	Off

xdebug.default_enable	On	On
xdebug.dump.COOKIE	<i>no value</i>	<i>no value</i>
xdebug.dump.ENV	<i>no value</i>	<i>no value</i>
xdebug.dump.FILES	<i>no value</i>	<i>no value</i>
xdebug.dump.GET	<i>no value</i>	<i>no value</i>
xdebug.dump.POST	<i>no value</i>	<i>no value</i>
xdebug.dump.REQUEST	<i>no value</i>	<i>no value</i>
xdebug.dump.SERVER	<i>no value</i>	<i>no value</i>
xdebug.dump.SESSION	<i>no value</i>	<i>no value</i>
xdebug.dump_globals	On	On
xdebug.dump_once	On	On
xdebug.dump_undefined	Off	Off
xdebug.extended_info	On	On
xdebug.idekey	<i>no value</i>	<i>no value</i>
xdebug.manual_url	http://www.php.net	http://www.php.net
xdebug.max_nesting_level	100	100
xdebug.profiler_aggregate	Off	Off
xdebug.profiler_append	Off	Off
xdebug.profiler_enable	Off	Off
xdebug.profiler_enable_trigger	Off	Off
xdebug.profiler_output_dir	/tmp	/tmp
xdebug.profiler_output_name	cachegrind.out.%p	cachegrind.out.%p
xdebug.remote_autostart	Off	Off
xdebug.remote_enable	Off	Off
xdebug.remote_handler	dbgp	dbgp
xdebug.remote_host	localhost	localhost
xdebug.remote_log	<i>no value</i>	<i>no value</i>
xdebug.remote_mode	req	req
xdebug.remote_port	9000	9000
xdebug.show_exception_trace	Off	Off
xdebug.show_local_vars	Off	Off
xdebug.show_mem_delta	Off	Off
xdebug.trace_format	0	0
xdebug.trace_options	0	0
xdebug.trace_output_dir	/tmp	/tmp
xdebug.trace_output_name	trace.%c	trace.%c
xdebug.var_display_max_children	128	128
xdebug.var_display_max_data	512	512
xdebug.var_display_max_depth	3	3

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
DYLD_FALLBACK_LIBRARY_PATH	/opt/local/lib:
PATH	/usr/bin:/bin:/usr/sbin:/sbin
PWD	/
SHLVL	2
_	/opt/local/apache2/bin/httpd

PHP Variables

Variable	Value
_SERVER["UNIQUE_ID"]	SwtgLsCoAQYAAAH4WfEAAAAH
_SERVER["HTTP_HOST"]	127.0.0.1
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6; en-us) AppleWebKit/531.9 (KHTML, like Gecko) Version/4.0.3 Safari/531.9
_SERVER["HTTP_CACHE_CONTROL"]	max-age=0
_SERVER["HTTP_ACCEPT"]	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/usr/bin:/bin:/usr/sbin:/sbin
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.14 (Unix) mod_ssl/2.2.14 OpenSSL/0.9.8l DAV/2 PHP/5.3.1
_SERVER["SERVER_NAME"]	127.0.0.1
_SERVER["SERVER_ADDR"]	127.0.0.1
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	127.0.0.1
_SERVER["DOCUMENT_ROOT"]	/Users/tqwhite/Sites
_SERVER["SERVER_ADMIN"]	you@example.com
_SERVER["SCRIPT_FILENAME"]	/Users/tqwhite/Sites/index.php
_SERVER["REMOTE_PORT"]	49192
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/index.php
_SERVER["SCRIPT_NAME"]	/index.php
_SERVER["PHP_SELF"]	/index.php
_SERVER["REQUEST_TIME"]	1259036718
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["DYLD_FALLBACK_LIBRARY_PATH"]	/opt/local/lib:
_ENV["PATH"]	/usr/bin:/bin:/usr/sbin:/sbin
_ENV["PWD"]	/
_ENV["SHLVL"]	2
ENV[""]	/opt/local/apache2/bin/httpd

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.